





Caterpillar's revolutionary equipment and world-changing technologies don't just shape our cities, they pave the roads that connect them.

In every corner of the world,
Caterpillar is a symbol of power.
Risk-taking, history-making,
earth-shaking power. And with
that power comes an attitude
that doesn't back down.

That's why we license
Caterpillar's name. And that's
why our earthmovers wear
the black and yellow logo with
pride. These individuals embody
the equipment's boldness,
authenticity, and innovation
with every step they take.

Each season we defy limitations and exceed expectations, designing powerful product that surpasses our diverse earthmovers' needs and desires. When we sell a pair of shoes, we're not just selling the attitude of the equipment, we're powering our bold earthmovers with the strength of a bulldozer.

Backed by the strength of Wolverine World Wide Inc.

- Wolverine Worldwide is the third largest footwear manufacturer in the world.
- Wolverine Worldwide has a diverse portfolio of 14 brands: Merrell, Sperry Top-Sider, Hush Puppies, Saucony, Wolverine, Wolverine Leathers, Keds, Cat, Stride Rite, Chaco, Bates, Hytest, Soft Style, Harley-Davidson.
- Wolverine Worldwide distributes more than 100 million units of footwear and apparel in 200 countries.

Industry Leading Footwear


- Hugely experienced. +100 million pairs of footwear supplied to consumers across 150 countries.
- Trailblazing technologies that address the most challenging industrial environments on earth.
- Globally recognised as delivering exceptional value through enhanced durability and performance.

Caterpillar: Global Power Brand

- 3+ million Caterpillar products at work around the world.
- \$53.8 billion in sales and revenues for 2019.
- World's leading manufacturer of construction and mining equipment, diesel and natural gas engines, industrial gas turbines and diesel-electric locomotives.

Consumer Connection

- Market leading brand,
 associated with ruggedness,
 toughness and durability.
- Trusted by veteran workers, while connecting with a new generation through product solutions that meet their individual needs and preferences.



INDUSTRIAL

"I'M ON MY FEET ALL DAY, BOTH INDOORS AND OUTDOORS.
I'M REQUIRED TO WEAR SAFETY FOOTWEAR BUT AM
UNWILLING TO BE UNCOMFORTABLE."

OCCUPATIONS

FOOTWEAR REQUIREMENTS

Shipping / Receiving

Carpentry

Construction

Electrical Engineering

Equipment Operator

Agriculture

Manufacturing

Mechanic Tradesman

Warehousing

Worksite Manager

Abrasion Resistance

Durability

Flexibility

Insulation

Puncture Resistance

Oil Resistance

Slip Resistance

Traction

Waterproof

Safety Toe Non Metallic

LIGHT INDUSTRIAL

"I WORK MOSTLY INDOORS AND NEED MY FOOTWEAR TO BE LIGHTWEIGHT, COMFORTABLE AND FLEXIBLE AND WORK FOR MY WEEKEND PROJECTS TOO."

OCCUPATIONS

Duty / Security

Airport (inside) Food Services

Warehouse

Transportation

Delivery Handyman

General Contractor

Security

FOOTWEAR REQUIREMENTS

Flexibility

Lightweight

Slip-Resistance Non Metallic

Trootion



MUNISING 6" CT S3 WP HRO SRA

OF TO THE PARTY OF THE PARTY OF





HOLTON ST S3 HRO SRC









DARK SHADOW P720161 Nubuck/Kurim

INDUSTRIAL | S3







P708029 Full Grain Leather BLACK P708030 Full Grain Leather

FEATURES & BENEFITS

FOOTBED: DUAL DENSITY EASE
FOOTBED LINING: MICROFIBER
MIDSOLE: EASE
SHANK: NYLON



















FEATURES & BENEFITS

FOOTBED: PU
FOOTBED LINING: NYLEX®
MIDSOLE: PVC
SHANK: STEEL

CONSTRUCTION: GOODYEAR® WELT AVAILABLE SIZES: UK 6-15



STEEL TOE



ENERGY ABSORPTION À ABSORPTION D'ÉNERGIE



RÉSISTANT AU MAZOUT

F0

FUEL OIL



INDUSTRIAL | S3

THE HOLTON

Our most iconic Caterpillar work boot

WATER RESISTANT UPPER

Seamed seals ensure all around water protection

ICONIC

Iconic CAT heritage product

GOODYEAR WELTED

Outsole adds strength, comfort and longevity

QUAD STITCHED SEAMS

For increased load-bearing and enhanced durability

NAVIGATOR MID ST S3 HRO SRA









CLAY P719478 Nubuck

REMOVABLE PU

FOOTBED: **FOOTBED LINING:**

MIDSOLE: EVA NITRILE RUBBER **OUTSOLE:**

CEMENT **CONSTRUCTION: AVAILABLE SIZES:** UK 6-14

















ROADRACE ct s3 wr hro src









CHARGE MID CT S3 HRO SRC







FEATURES & BENEFITS

FOOTBED: **FOOTBED LINING:** MIDSOLE:

SHANK: CONSTRUCTION:

NYLON MESH DUAL DENSITY MOLDED NYLON CEMENT **AVAILABLE SIZES:** UK 6-12

OPEN CELL UPU FOAM







BOUT RENFORCÉ



ENERGY Absorption

À ABSORPTION D'ÉNERGIE



FUEL OIL

RÉSISTANT AU MAZOUT





BLACK/DARK GREY P725795 Microfibre and Mesh

FEATURES & BENEFITS

FOOTBED: REMOVABLE PU FOAM **FOOTBED LINING:** BREATHABLE MESH

MIDSOLE: EVA

OUTSOLE: EVA/RUBBER CONSTRUCTION: CEMENT **AVAILABLE SIZES:** UK 3-13























CHARGE CT S3 HRO SRC ESD













BLACK/LIME BLACK/ P725515 P725516 Microfibre and Mesh Microfibre

BLACK/BLUE P725516 Microfibre and Mesh

BLACK/ORANGE P725517 Microfibre and Mesh

FEATURES & BENEFITS

FOOTBED: REMOVABLE PU FOAM BREATHABLE MESH

MIDSOLE: EVA

OUTSOLE: EVA/RUBBER
CONSTRUCTION: CEMENT
AVAILABLE SIZES: UK 3-13



















DIAGNOSTIC 2.0 st s3 wr Hro

PNEUMATIC 2.0 st s3 wr hro





















P725685

| NDUSTRIAL |



DARK COFFEE P725689



DARK BROWN P72694 Full Grain Leather



BLACK P725692 Full Grain Leather

FEATURES & BENEFITS

FOOTBED: CUSHIONED FOAM RECYCLED **FOOTBED LINING:** THINSULATE LINING

MIDSOLE: ΡU

OUTSOLE: RUBBER **CONSTRUCTION:** CEMENT **AVAILABLE SIZES:** UK 6-12







STEEL TOE

BOUT EN ACIER



ENERGY ABSORPTION À ABSORPTION D'ÉNERGIE





FEATURES & BENEFITS

FOOTBED: EASE HD **FOOTBED LINING:** NYLON MESH + NXT MIDSOLE: DUOFUSE SHANK: NYLON CONSTRUCTION: CEMENT **AVAILABLE SIZES:** UK 6-12



















EXCAVATOR LT ct s3 wp hro sra













BLACK P725135 Full Grain Leather

FEATURES & BENEFITS

FOOTBED: EASE HD
FOOTBED LINING: NYLON MESH + NXT
MIDSOLE: DUOFUSE
SHANK: NYLON
CONSTRUCTION: CEMENT
AVAILABLE SIZES: UK 6-12





































Full Grain Leather

SEAL BROWN P725172 Full Grain Leather

FEATURES & BENEFITS

FOOTBED: **FOOTBED LINING:** SHANK:

CONSTRUCTION: AVAILABLE SIZES:

EVA NYLON MESH + NXT **GLASS FIBER** CEMENT UK 6-12

















INDUSTRIAL | S3

29

EXPOSITION 4.5" st s3 Hro src

















PYRAMID P725287 Full Grain Leather



PYRAMID P725288 Full Grain Leather

FEATURES & BENEFITS

FOOTBED: **FOOTBED LINING: OUTSIOLE: CONSTRUCTION: AVAILABLE SIZES:**

TECHNOLOGY

LEAP TECHNOLOGY **NYLON MESH** RUBBER CEMENT UK 6-12



STEEL TOE

BOUT EN ACIER



SLIP RESISTANCE

ANTIDÉPARANT

PUNCTURE RESISTANT







SR

FEATURES & BENEFITS

FOOTBED: LEAP TECHNOLOGY **FOOTBED LINING:** MESH **OUTSOLE:** RUBBER **CONSTRUCTION:** CEMENT **AVAILABLE SIZES:** UK 6-12







STEEL TOE

BOUT EN ACIER



SLIP RESISTANCE

ANTIDÉPARANT

PUNCTURE RESISTANT À L'ÉPREUVE DES PERFORATIONS

FRAMEWORK ST S3 WP HRO SRA









REAL BROWN P722602 Nubuck

FEATURES & BENEFITS

FOOTBED: MOLDED EVA
FOOTBED LINING: NYLON MESH
SHANK: NYLON
CONSTRUCTION: CEMENT
AVAILABLE SIZES: UK 6-14



















PELTON ST S1P HRO SRA









DARK BEIGE P720781 Full Grain Leather

FEATURES & BENEFITS

FOOTBED: DUAL DENSITY EASE FOOTBED LINING: MICROFIBER

MIDSOLE: EASE
SHANK: NYLON
CONSTRUCTION: CEMENT
AVAILABLE SIZES: UK 6-13



















PARKER ST S1P HRO SRA









DARK BEIGE P720779 Full Grain Leather

FEATURES & BENEFITS

FOOTBED: DUAL DENSITY EASE
FOOTBED LINING: MICROFIBER

MIDSOLE: FASE

MIDSOLE: EASE
SHANK: NYLON
CONSTRUCTION: CEMENT
AVAILABLE SIZES: UK 6-13

ease













INDUSTRIAL | S1P





BLACK / BLUE NIGHTS P722734 Mesh/Molded Rubber

FOOTBED: **ERGO FOOTBED LINING: NYLEX®** MIDSOLE: **MOLDED EVA** SHANK: NYLON **CONSTRUCTION:** CEMENT **AVAILABLE SIZES:** UK 6-13













ANTIDÉPARANT









REFERENCE CHART

CATALOGUE ICONOGRAPHY



- 30% greater longevity by taking 30% less compression it won't break down or compress
- 30% more energy return giving you more bounce back
- Lightweight comfort 10-15% lighter



Athletic inspired design, construction and engineering. ERGOlite is made for the worker who is required to wear safety footwear, but wants anything but.



A one-of-a-kind sole that delivers unsurpassed traction and makes ice obsolete so that you're sure-footed and moving forward when the temperature drops. Improves traction on wet, icy surfaces by 3x.



Powered by DUOFUSE™: Our custom engineered midsole blends rubber & foam for more comfort, less weight and trusted durability. With 40% more resilience and 30% more abrasion resistance than standard EVA it will stay comfortable while holding up to the daily beating they're going to receive.



Powered by SRX: our extreme slip resistant compound maximizes grip and traction to exceed global industry standards.



Faster. Thinner. Stronger. Nano Toe is a non metallic approved safety toe that is 40% lighter than steel and 15% lighter than composite toes, providing more space and comfort for your toes without sacrificing any protection.



iTechnology combines the durability of a Goodyear Welt with an athletic cup heel for athletic shoe comfort.

Cat Footwear manufactures premium, safety footwear symbolizing a 100-year connection Caterpillar has to tough, honest work. Our safety footwear collection includes a variety of comfort, durability, safety and technology features intended to keep workers protected and comfortable in the harshest of conditions.

EN

Our safety footwear is tested to meet and exceed strict EU standards from authorized testing facilities such as SATRA and receives certification in one of the following categories:

EN ISO 20345:2011

SAFETY FOOTWEAR CLASSIFICATION

SB

Footwear includes an internal steel toecap tested to 200-joule compression

REFERENCE CHART

S1 P

Footwear includes an internal steel toecap tested to 200-joule compression and anti-static properties of electrical resistance no greater than 100k Mega ohms and steel midsole plate for nail penetration resistance of sole at no less than 1100 N

S3

Footwear includes an internal steel toecap tested to 200-joule compression, water resistant leather and steel midsole plate for nail penetration resistance of sole at no less than 1100 N

SB P

Footwear includes an internal steel toecap tested to 200-joule compression and steel midsole plate for nail penetration resistance of sole at no less than 1100 N



SALES

aurelie.sciales@jdubois.be

